



Fig. 1











Fig. 4





F18. 5





*Fig.* 7





sync & packet type

Fig. 9A




Fig. 9B





Fig. 9C



8. IO





Fig. 11






Fig. 12



Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17

No Packet or Transaction Ordering




Fig. 18




Fig. 19A




Fig. 19B




Fig. 19C

8b code	9 bit symbol
0000 0000	101010101
0000 0001	101010100
0000 0010	101010111
0101 0101	001010101
0111 0110	001110110
0111 0111	100100010
:	110101010

Fig. 20





Fig. 21A






Fig. 21C




Fig. 22




Fig. 23




Fig. 24





Fig. 25






Fig. 27




Fig. 28





Fig. 29






Fig. 31

	_					_
Output Queue 3202	Data	110			1011	
	Valid Port	3			3	• • •
	Valid	1	0	0	1	
3201	Data		101	1110		
Input Queue	R/W Address	1000	4000	1000	2000	
	R/W	R	M	M	~	• • •
	Port	3	4	3	ю	

Fig. 32




Fig. 33




Fig. 34






Fig. 35





Variable  $\left\{ RD^+ \land \overline{DataIn} = pull \ down \right.$ Driver  $\left\{ RD^- \land \overline{DataIn} = pull \ up \right.$ 

Fig. 37A




Fig. 37B




Fig. 38A






Fig. 38B









Fig. 41






Fig. 42B




Fig. 42C





Fig. 43

8	B8	X	A8	Start of Character extraction window symbol pointer	LD = 1, $iHF = 1$ , $iPTR = "000000100"$
Region C C8	Region B B8	Start of Character extraction window symbol pointer	Region A A8		LD = 1, $iHF = 0$ , $iPTR = "001000000"$

Fig. 44






Fig. 46

